



FOR IMMEDIATE RELEASE

WHO: Concerned Citizens of Montauk / Surfrider Foundation
 WHAT: Water Quality Testing Program Results: week of Nov. 27, 2017
 WHEN: Ongoing – Weekly Water Testing
 WHERE: Montauk, Amagansett, and East Hampton
 CONTACT: Kate Rossi-Snook, 631-238-5720, krossi-snook@preservemontauk.org

The Concerned Citizens of Montauk (CCOM), in partnership with the Surfrider Foundation’s nationwide Blue Water Task Force water quality testing program, has been sampling Montauk and Amagansett water bodies for the bacteria *enterococcus*. Highly trained volunteers collect and test water samples from Montauk to Southampton and then post test results online on Surfrider’s Blue Water Task Force portal. **In its fall schedule, water testing takes place on a biweekly basis. Please see below for water quality testing results for the week of November 27, 2017:**

LOCATION	ENTERO LEVEL	INDICATION OF
MONTAUK		
Lake Montauk: Harbor	10	Low Bacteria
Lake Montauk: Causeway South	0	Low Bacteria
Lake Montauk: Little Reed Pond Creek	20	Low Bacteria
Lake Montauk: Nature Preserve Beach	0	Low Bacteria
Lake Montauk: East Creek	86	Medium Bacteria
Lake Montauk: South Beach	0	Low Bacteria
Lake Montauk: West Creek	63	Medium Bacteria
Ditch Plains: Ditch Witch	0	Low Bacteria
Surfside Place: Ocean Beach	0	Low Bacteria
Surfside Place: Outfall Pipe	<i>Not Tested</i>	
Fort Pond: Industrial	0	Low Bacteria
Fort Pond: Ramp	0	Low Bacteria
LI Sound: Fort Pond Bay @ Navy Rd.	0	Low Bacteria
LI Sound: Fort Pond Bay @ Tuthill Rd.	0	Low Bacteria
LI Sound: Block Island Sound @ Soundview Dr.	0	Low Bacteria
AMAGASETT		
Fresh Pond: Beach	<i>Not Tested</i>	
Fresh Pond: Creek	<i>Not Tested</i>	
Napeague Harbor: West	52	Medium Bacteria
Napeague Harbor: East	0	Low Bacteria
EAST HAMPTON		
Pussy’s Pond	121	High Bacteria
Hook Pond: David’s Lane Duck Pond	<i>Not Tested</i>	
Hook Pond: South	<i>Not Tested</i>	
Georgica Beach / Third Jetty	0	Low Bacteria
Georgica Pond: Beach Side	<i>Not Tested</i>	
Georgica Pond: Rt 27 Kayak Launch	0	Low Bacteria
Georgica Pond: Cove Hollow Access	0	Low Bacteria
Three Mile Harbor: Head of the Harbor	10	Low Bacteria
Three Mile Harbor: Folkstone Drive	10	Low Bacteria
Three Mile Harbor: Settler’s Landing	0	Low Bacteria

To learn more about test results from East Hampton to Montauk, please visit CCOM’s website and click on “Water Testing Results”: www.preservemontauk.org

For test results from Southampton, performed by the Surfrider Foundation and the Peconic Baykeeper, please visit: www.surfrider.org/blue-water-task-force/chapter/49