



Concerned Citizens of Montauk (CCOM) partners with the Surfrider Foundation Eastern Long Island Chapter and Peconic Baykeeper to monitor East End water bodies for the bacteria enterococcus. CCOM tests locations in Montauk, Amagansett, and East Hampton, processes the water samples in the CCOM office lab and shares the results with the public through press releases and the Surfrider Foundation’s Blue Water Task Force (BWTF) online portal. Enterococcus levels at 104 and above are considered a risk to human health; it is often due to heavy rains, extreme high tides, and/or warm water temperatures. Levels <10 are considered below the detection limit of the test.

LOCATION	ENTERO LEVEL	INDICATION OF
MONTAUK		
Lake Montauk: Harbor*	30	Low Bacteria
Lake Montauk: Causeway South*	20	Low Bacteria
Lake Montauk: Little Reed Pond Creek*	41	Medium Bacteria
Lake Montauk: Nature Preserve Beach*	30	Low Bacteria
Lake Montauk: East Creek*	121	High Bacteria
Lake Montauk: South Beach*	146	High Bacteria
Lake Montauk: West Creek	41	Medium Bacteria
Lake Montauk: Stepping Stones*	Not Tested	
Lake Montauk: Benson Dr. Culvert	4352	High Bacteria
Ditch Plains: East of Jetty	<10	Low Bacteria
Surfside Place: Beach	<10	Low Bacteria
Surfside Place: Outfall Pipe*	Not Tested	
Fort Pond: Industrial*	10	Low Bacteria
Fort Pond: Ramp*	30	Low Bacteria
Tuthill Pond	63	Medium Bacteria
LI Sound: Fort Pond Bay, Tuthill Rd.	30	Low Bacteria
LI Sound: Fort Pond Bay, Navy Rd.	<10	Low Bacteria
LI Sound: Soundview Drive Beach	Not Tested	
LI Sound: Soundview Drive Culvert	Not Tested	
AMAGANSETT		
Napeague Harbor: East	226	High Bacteria
Napeague Harbor: West	<10	Low Bacteria
Fresh Pond: Beach*	10	Low Bacteria
Fresh Pond: Creek*	63	Medium Bacteria
EAST HAMPTON		
Accabonac Harbor: Louse Point Beach	313	High Bacteria
Accabonac Harbor: Shipyard Ramp*	121	High Bacteria
Landing Lane	63	Medium Bacteria
Shagwong Marina	Not Tested	
Three Mile Harbor: Folkstone Drive	31	Low Bacteria
Three Mile Harbor: Head of the Harbor*	86	Medium Bacteria
Three Mile Harbor: Settler’s Landing	<10	Low Bacteria
Northwest Creek: Ramp	52	Medium Bacteria
Northwest Creek: Culvert	Not Tested	

