

Concerned Citizens of Montauk (CCOM) partners with the Surfrider Foundation Eastern Long Island Chapter and Peconic Baykeeper to monitor East End water bodies for the bacteria enterococcus. CCOM tests locations in Montauk, Amagansett, and East Hampton, processes the water samples in the CCOM office lab and shares the results with the public through press releases and the Surfrider Foundation's Blue Water Task Force (BWTF) online portal. Recreational waters are considered unsafe if Enterococcus levels exceed 104 CFU per 100 milliliters for marine water, and 61 CFU per 100 milliliters for freshwater. High levels are often due to heavy rains, extreme high tides, and/or warm water temperatures. Levels <10 are considered below the detection limit of the test. *Intensive monitoring and/or remediation projects are planned or in place at the locations marked with an asterisk (*)*.

LOCATION	ENTERO LEVEL (CFU/100mL)	INDICATION OF
MONTAUK		
Lake Montauk: Harbor*	Unable to Test	/
Lake Montauk: Causeway South*	Unable to Test	/
Lake Montauk: Little Reed Pond Creek*	86	Medium Bacteria
Lake Montauk: Nature Preserve Beach*	<10	Low Bacteria
Lake Montauk: East Creek*	<10	Low Bacteria
Lake Montauk: South Beach*	20	Low Bacteria
Lake Montauk: West Creek	10	Low Bacteria
Lake Montauk: Stepping Stones*	Unable to Test	/
Lake Montauk: Benson Dr. Culvert	52	Medium Bacteria
Ditch Plains: East of Jetty	<10	Low Bacteria
Surfside Place: Beach	<10	Low Bacteria
Surfside Place: Outfall Pipe*	Unable to Test	/
Fort Pond: Industrial*	10	Low Bacteria
Fort Pond: Ramp*	Unable to Test	/
Fort Pond: East	10	Low Bacteria
Fort Pond: West	20	Low Bacteria
Tuthill Pond	10	Low Bacteria
LI Sound: Fort Pond Bay, Tuthill Rd.	<10	Low Bacteria
LI Sound: Fort Pond Bay, Navy Rd.	Unable to Test	/
LI Sound: Soundview Drive Beach	Unable to Test	/
AMAGANSETT		
Napeague Harbor: East	<10	Low Bacteria
Napeague Harbor: West	Unable to Test	/
Fresh Pond: Beach*	Unable to Test	/
Fresh Pond: Creek*	Unable to Test	/
EAST HAMPTON		
Accabonac Harbor: Louse Point Beach	Unable to Test	/
Accabonac Harbor: Shipyard Ramp*	Unable to Test	/
Accabonac Harbor: Landing Lane	Unable to Test	/
Accabonac Harbor: North	Unable to Test	/
Three Mile Harbor: Folkstone Drive	Unable to Test	/
Three Mile Harbor: Head of the Harbor*	Unable to Test	/
Three Mile Harbor: Settler's Landing	Unable to Test	/
Northwest Creek: Ramp	Unable to Test	/
Northwest Creek: Culvert	Unable to Test	/

Enterococcus (CFU/100mL) - **Based on water quality standards set by New York State Department of Health:**
Low Bacteria (0 - 35); **Medium Bacteria (36 - 104); High Bacteria (> 104)**

HARMFUL ALGAL BLOOMS

Concerned Citizens of Montauk (CCOM), in partnership with the Gobler Laboratory at the School of Marine and Atmospheric Sciences (SoMAS) at Stony Brook, monitors Fort Pond for toxic blue-green algae, also known as cyanobacteria. CCOM delivers samples to the Gobler Lab, which shares bloom occurrences online through the NYS DEC HAB Notification page. Blue-green levels at **25ug/L** and above are an indication of a bloom and trigger toxicity testing.

DATE	LOCATION	BLOOM STATUS	BLUE-GREEN LEVEL (µg/L)	INDICATION OF
7/29/2024	Fort Pond: Industrial	Not Present	23.25	High Risk
7/29/2024	Fort Pond: Ramp	Bloom Present	25.42	High Risk
8/5/2024	Fort Pond: Industrial	Not Present	20.74	High Risk
8/5/2024	Fort Pond: Ramp	Bloom Present	34.98	High Risk
8/12/2024	Fort Pond: Industrial	Bloom Present	29.66	High Risk
8/12/2024	Fort Pond: Ramp	Bloom Present	43.63	High Risk
8/19/2024	Fort Pond: Industrial	Not Present	22.22	High Risk
8/19/2024	Fort Pond: Ramp	Not Present	21.7	High Risk
8/26/2024	Fort Pond: Industrial	Not Present	16.6	Medium Risk
8/26/2024	Fort Pond: Ramp	Bloom Present	30.9	High Risk
9/3/2024	Fort Pond: Industrial	Not Present	17.85	Medium Risk
9/3/2024	Fort Pond: Ramp	Not Present	15.96	Medium Risk
9/9/2024	Fort Pond: Industrial	Not Present	12.21	Medium Risk
9/9/2024	Fort Pond: Ramp	Not Present	12.87	Medium Risk
9/16/2024	Fort Pond: Industrial	Not Present	7.82	Low Risk
9/16/2024	Fort Pond: Ramp	Bloom Present	33.47	High Risk
9/20/2024	Fort Pond: Industrial	Not Present	11.75	Medium Risk
9/20/2024	Fort Pond: Ramp	Not Present	13.36	Medium Risk
9/23/2024	Fort Pond: Industrial	Not Present	11.68	Medium Risk
9/23/2024	Fort Pond: Ramp	Not Present	13.32	Medium Risk
9/30/2024	Fort Pond: Industrial	Not Present	7.56	Low Risk
9/30/2024	Fort Pond: Ramp	Not Present	10.15	Medium Risk
6/2/2025	Fort Pond: Industrial	Not Present	0	Low Risk
6/2/2025	Fort Pond: Ramp	Not Present	0	Low Risk
6/9/2025	Fort Pond: Industrial	Not Present	0.31	Low Risk
6/9/2025	Fort Pond: Ramp	Not Present	0.98	Low Risk
6/23/2025	Fort Pond: Industrial	Not Present	0.26	Low Risk
6/23/2025	Fort Pond: Ramp	Not Present	0.05	Low Risk
6/30/2025	Fort Pond: Industrial	Not Present	2.37	Low Risk
6/30/2025	Fort Pond: Ramp	Not Present	2.95	Low Risk
7/7/2025	Fort Pond: Industrial	Not Present	5.63	Low Risk
7/7/2025	Fort Pond: Ramp	Not Present	7.13	Low Risk
7/14/2025	Fort Pond: Industrial	Not Present	17.6	Medium Risk
7/14/2025	Fort Pond: Ramp	Not Present	19.3	Medium Risk
7/21/2025	Fort Pond: Industrial	Not Present	19.42	Medium Risk
7/21/2025	Fort Pond: Ramp	Not Present	12.84	Medium Risk
7/28/2025	Fort Pond: Industrial	Not Present	8.08	Low risk

7/28/2025	Fort Pond: Ramp	Not Present	11.63	Medium Risk
8/4/2025	Fort Pond: Industrial	Not Present	3.22	Low Risk
8/4/2025	Fort Pond: Ramp	Not Present	4.92	Low Risk
8/11/2025	Fort Pond: Industrial	Not Present	2.11	Low Risk
8/11/2025	Fort Pond: Ramp	Not Present	5.39	Low Risk
8/18/2025	Fort Pond: Industrial	Not Present	5.11	Low Risk
8/18/2025	Fort Pond: Ramp	Not Present	6.61	Low Risk
9/4/2025	Fort Pond: Industrial	Not Present	10.4	Medium Risk
9/4/2025	Fort Pond: Ramp	Not Present	12.9	Medium Risk
9/10/2025	Fort Pond: Industrial	Not Present	12.32	Medium Risk
9/10/2025	Fort Pond: Ramp	Not Present	9.62	Low Risk
9/17/2025	Fort Pond: Industrial	Not Present	9.74	Low Risk
9/17/2025	Fort Pond: Ramp	Not Present	13.5	Medium Risk
9/24/2025	Fort Pond: Industrial	Bloom Present	52.4	High Risk
9/24/2025	Fort Pond: Ramp	Bloom Present	25.5	High Risk
9/26/2025	Fort Pond: Industrial	Not Present	20.4	Medium Risk
9/26/2025	Fort Pond: Ramp	Not Present	23.1	Medium Risk
9/30/2025	Fort Pond: Industrial	Not Present	11.42	Medium Risk
9/30/2025	Fort Pond: Ramp	Bloom Present	32.51	High Risk
9/30/2025	Big Reed Pond Site 1A	Bloom Present	28,777.81	High Risk
9/30/2025	Big Reed Pond Site 1B	Bloom Present	10,209.88	High Risk
9/30/2025	Big Reed Pond Site 2	Bloom Present	77,340.63	High Risk
10/7/2025	Fort Pond: Industrial	Not Present	0.24	Low Risk
10/7/2025	Fort Pond: Ramp	Not Present	7.69	Low Risk
10/20/2025	Fort Pond: Industrial	Not Present	7.60	Low Risk
10/20/2025	Fort Pond: Ramp	Not Present	9.07	Low Risk
11/12/2025	Fort Pond: Industrial	Not Present	6.24	Low Risk
11/12/2025	Fort Pond: Ramp	Not Present	7.05	Low Risk

****Big Reed Pond is not tested regularly. Numbers in the tens of thousands are extremely high for a cyanobacteria bloom. Thank you to our partners at THNC and the Gobbler Lab who were instrumental in the Big Reed Pond testing.**

HABs results could be delayed for up to 14 days from sampling date.

To learn more about CCOM's water quality programs, please visit the website at

<https://www.preservemontauk.org/media/water-testing-results/>